



Docket No.: 43876-112

**PATENT**

2188 #  
#218103

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

Craig C. HANSEN, et al.

Serial No.: 09/377,182

Group Art Unit: 2787

Filed: August 19, 1999

Examiner: David H. Malzahn

For: MULTIPLE ARRAY PROCESSING SYSTEM WITH ENHANCED UTILIZATION AT  
LOWER PRECISION

**RECEIVED**

**PETITION FOR EXTENSION OF TIME**

FEB 11 2003

Commissioner for Patents  
Washington, DC 20231

Technology Center 2100

Sir:

It is respectfully requested that the time for response to the Office Action dated August 8, 2002, now due to expire November 8, 2002, be extended for three month(s) and set to expire on February 8, 2003.

Please charge the extension fee of \$465.00 to Deposit Account No. 500417 . Please charge any additional fees or credit any overpayment to Deposit Account No. 500417.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

*L. T. Cullen*

Lawrence T. Cullen  
Registration No. 44,489

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
(202) 756-8000 LTC:MWE  
Facsimile: (202) 756-8087  
**Date: February 4, 2003**

02/05/2003 SSESHE1 00000089 500417 09377182  
01 FC:2253 465.00 CH